omnia is the latest innovation from Morrells. A true breakthrough in coatings for exterior joinery set to revolutionise the market...

Morrells is synonymous with market-leading product development, manufacture and supply of specialist finishes for wood and has over 105 years provenance in British business. Morrells sure-footed environmental policy emanates from our manufacturing facility and network of 25 branches throughout the UK and Ireland.

What really sets Morrells apart is the commitment to excellence in understanding and supporting our customer base. We bespoke colour-match 1000's of products each week and always have qualified technical consultants on hand to assist and guide all our customers on finishing matters. omnia by Morrells offers 10 years protection against the elements as long as timber selection, preparation and design meet TWA scheme^{*} criteria & requirement standards, and the application of the coatings are in accordance with the appropriate Morrells product data and/or specification. Very exposed or coastal locations can reduce the longevity of all exterior coatings. For this reason annual inspections and maintenance must be carried out.

* copy available







For all general enquiries please call **08705 60 61 62**.

Head Office:

Wellington Works, Mill Lane, Woodley, Stockport, Cheshire. SK6 1RN.

Fax Line:

0161 406 6276

Email:

enquiries@morrells.co.uk

Website:

www.morrells.co.uk

Morrells Woodfinishes UK and Eire Branches:

Morrells Birmingham:	tel: 0845 450 9072	fax: 0845 450 1722
Morrells Bristol:	tel: 0845 270 1094	fax: 0845 270 1095
Morrells Dublin:	tel: 01450 5095	fax: 01450 4188
Morrells Exeter:	tel: 0845 450 9070	fax: 0845 450 1720
Morrells High Wycombe:	tel: 0845 450 9062	fax: 0845 450 1712
Morrells Leeds:	tel: 0845 450 9067	fax: 0845 450 1717
Morrells Leicester:	tel: 0845 450 9063	fax: 0845 450 1713
Morrells London:	tel: 0845 450 9069	fax: 0845 450 1719
Morrells Manchester:	tel: 0845 450 9065	fax: 0845 450 1715
Morrells Nottingham:	tel: 0845 450 9060	fax: 0845 450 1710
Morrells Shoreham:	tel: 0845 603 3619	fax: 0845 603 8058
Morrells Sittingbourne:	tel: 0845 450 9061	fax: 0845 450 1711
Morrells Stockport:	tel: 08705 60 61 62	fax: 0870 560 4604
Morrells Washington:	tel: 0845 450 9066	fax: 0845 450 1716
Morrells Letchworth:	tel: 0845 450 9073	fax: 0845 450 1723
Morrells Witham:	tel: 0845 450 9068	fax: 0845 450 1718
Morrells Bedford (JDH Coatings):	tel: 01525 852 069	fax: 01525 852 069
Morrells Belfast (D F Ross):	tel: 02890 681111	fax: 02890 681168
Morrells Boston (VRS):	tel: 01205 311 914	fax: 01205 362 207
Morrells Glasgow (McMillan Bros Ltd):	tel: 0141 427 4298	fax: 0141 427 3996
Morrells Hull (Envirocoat):	tel: 01482 585 162	fax: 01482 327 273
Morrells Liverpool (Northwest Coatings):	tel: 0151 228 5475	fax: 0151 228 5499
Morrells North Yorkshire (Rydenor Ltd):	tel: 01845 578080	fax: 01845 577 175
Morrells Sheffield (Hallam P.M. Ltd):	tel: 0114 244 6666	fax: 0114 243 5038
morrens enemeta (nanarri nini Eca).		





HIGH PERFORMANCE WATERBORNE COATINGS FOR EXTERNAL JOINERY

Morrells have gone one step further...



Wood has been an important construction material since humans began building shelters and houses.

The strength, versatility and renewable nature of timber makes it the most obvious choice for today's windows, doors and conservatory construction. When we choose wood, we choose the sustainable, eco-friendly option but we also choose a surface that requires protection. Modern micro-porous coatings give wooden joinery not only the flexibility of colour and sheen but also durable protection against the elements.

Ultra-clear natural topcoats Ultra-smooth coloured topcoats

a breakthrough in aqueous polymer technology with 2 distinct features.



exterior joinery coatings

Clear finishing



Once in a generation a finish like this becomes available... something very special. At last you can now give your customers a natural wood finish that will withstand the British weather... and look good for years.

Wood needs to move and breathe just like us!

It takes a remarkable outer coating to protect our doors & windows against harmful UV rays, penetrating frost, lashing rain and rot attack. Morrells have developed an ultra clear high performance coating system for exterior joinery and subjected it to years of accelerated weather conditioning to prove it will last... a true technological breakthrough.

OMNIA PRESERVE IS SPRAYED WET WITH ANY EXCESS WIPED OFF AFTER A COUPLE OF MINUTES. ALSO SUITABLE FOR DIPPING AND FLOW-COATING.

OMNIA CLEAR IS SPRAYED USING AAA EQUIPMENT TO A MINIMUM OF 150 MICRONS WET FILM THICKNESS PER COAT.

FOR FACTORY FINISHING ONLY.

THE APPROPRIATE RESPIRATORY PROTECTION MUST BE WORN DURING APPLICATION AND ALL HEALTH & SAFETY REQUIREMENTS MUST BE OBSERVED.

A typical finishing system:

- 1 coat **omnia** preserve A waterborne timber treatment which protects against rot and fungal attack
- 2 coats **omnia** clear A clear topcoat with hybrid-microporous polymer technology which allows the timber to breathe and protects against the elements

Products:

omnia preserve clearcode 8PR/000omnia clear satin 30% sheencode 8C3/000omnia clear gloss 60% sheencode 8C6/000omnia knottingcode 3032/000

omnia preserve is also available in the wood stain colours shown opposite. **omnia** knotting should be used when coating softwoods.



Due to the technical limitations of the print process, these colour swatches should serve as a guide only. We accept no responsibility for colour variation, and advise clients to consult the product's data sheet prior to use. Morrells products are intended for professional use only.



code: 8PR/000



code: 8PR/001





code: 8PR/002

code: 8PR/003



Natural Mahogany code: 8PR/004





Rosewood code: 8PR/006







code: 8PR/008

Opaque finishing



omnia colours are ultra-smooth weather resistant waterborne coatings.

Morrells' coatings technology breakthrough provides:

- hybrid micro-porosity
- ultimate UV ray resistance
- superior gloss retention
- ultra-smooth finish

RAL & NCS colours or your own specified shades, through nationwide distribution.

OMNIA PRIME AND **OMNIA** COLOURS ARE SPRAYED USING AAA EQUIPMENT TO A MINIMUM OF 150 MICRONS WET FILM THICKNESS PER COAT.

FOR FACTORY FINISHING ONLY.

THE APPROPRIATE RESPIRATORY PROTECTION MUST BE WORN DURING APPLICATION AND ALL HEALTH & SAFETY REQUIREMENTS MUST BE OBSERVED.

A typical finishing system:

- 1 coat **omnia** prime
- A waterborne white primer which blocks and locks-in extractive staining
- 2 coats **omnia** colour A waterborne weather resistant topcoat with an ultra-smooth finish

Products:

omnia prime	code 8WP/000
omnia white satin 30% sheen	code 8W3/000
omnia white gloss 60% sheen	code 8W6/000
omnia colour 30% or 60% sheen	code 8W/

omnia knotting, code 3032/000, and *omnia preserve*, code 8PR/000, should be used when coating softwoods.

omnia opaque finishing systems meet **BS EN 927/6** and **BS EN 927/3**.

